

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/510,025	10/01/2004	Ron Ginor	080/04167	4633
44909 WOLF BLOC	7590 03/22/2007 K SCHORR & SOLIS-C	EXAMINER		
WOLF, BLOCK, SCHORR & SOLIS-COHEN LLP 250 PARK AVENUE			ROGERS, KRISTIN D	
NEW YORK,	NY 10177		ART UNIT	PAPER NUMBER
			3736	
			MAIL DATE	DELIVERY MODE
			03/22/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

Cours		
, , , , , , , , , , , , , , , , , , ,	Application No.	Applicant(s)
	10/510,025	GINOR, RON
Notice of Allowability	Examiner	Art Unit
	Kristin D. Rogers	3736 .
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED i) or other appropriate comm IGHTS. This application is	n this application. If not included unication will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>RCE filed on Septem</u>	nber 20, 2006.	
2. The allowed claim(s) is/are <u>1-20</u> .	•	
 Acknowledgment is made of a claim for foreign priority unally all b) Some* c) None of the: All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have and the priority documents have	e been received. e been received in Applicati ocuments have been receive	on No ed in this national stage application from the
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EX res reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF or declaration is deficient.
 CORRECTED DRAWINGS (as "replacement sheets") mu (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in 	son's Patent Drawing Revie 's Amendment / Comment of 1.84(c)) should be written on	or in the Office action of the drawings in the front (not the back) of
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MAT FOR THE DEPOSIT OF B	FERIAL must be submitted. Note the IOLOGICAL MATERIAL.
Attachment(s)	5 □ Notice of I	nformal Patent Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	<u>=</u>	Summary (PTO-413),
-	Paper No	o./Mail Date s Amendment/Comment
3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		s Statement of Reasons for Allowance
	9. 🗌 Other	_
		KDR

Application/Control Number: 10/510,025

Art Unit: 3736

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-20 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art of Nachaliel (20020183645) teaches a method and apparatus for screening cancer cells. The method includes providing a malignancy score to a breast based on impedance measurements taken from a portion of the breast including the nipple. By determining whether a breast includes abnormal impedance values in the area of the nipple it may be determined whether the breast includes cancerous or pre-cancerous tissue. The patient malignancy score provides an indication on the probability of the patient having breast cancer without relating to which breast may have the cancer. The apparatus comprises a sensing unit including a probe capable of sensing electrical signals from a surface of a breast, processor operative to generate, based on sensed signals, a malignancy score relating to the need of additional testing of the breast. Nachaliel lacks teaching a method and apparatus comprising a processor calibrated to classify less than 50% of the women tested in low risk as belonging to the high risk group and wherein the high risk group has a risk factor of at least twice that of the low risk group, but less than 15 times that of the low risk group.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/510,025

Art Unit: 3736

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristin D. Rogers whose telephone number is 571.272.7293. The examiner can normally be reached on Monday through Friday 8:00am - 4:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 571.272.4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

M KDR Mat Handay